

Mallard

Anas platyrhynchos

Size: L: 19.7 - 26 in., WS: 32 - 27.4 in.

Description: Males: green head, yellow bill, orange legs, brown body, blue wing patch and black curly tail. Females: mottled brown with orange legs, blue wing patch.

Diet: Seeds, aquatic plants and insects

Habitat: Rural to urban **Viewing:** Year-round, statewide



Greater White-fronted Goose

Anser albifrons

Size: L: 25 - 32 in., WS: 53 in.

Description: Stocky brown with white rump, orange legs and pink bill bordered with white feathers.

Diet: Plants, berries and grains

Habitat: Wetlands

Viewing: Spring/fall, central to east



Northern Harrier

Circus hudsonius

Size: L: 18 - 20 in., WS: 40 - 46.5 in.

Description: Medium-sized raptor with broad wings, long tail and white rump patch.

Diet: Small mammals and birds **Habitat:** Grasslands, wetlands **Viewing:** Year-round, statewide



Swainson's Hawk

Buto swainsoni

Size: L: 19 - 22 in., WS: 46 - 54 in.

Description: Brown/gray above, white below, brown-red chest, dark beak and yellow legs.

Diet: Mammals and insects

Habitat: Grasslands

Viewing: Spring/fall, statewide; summer, west

Mixedgrass Prairie Region




The mixedgrass prairie region is a transitional zone between the tallgrass prairie of the east and the shortgrass prairie of the west. As a result, the vegetation of this area varies, with a combination of tallgrass and shortgrass prairie plants. There are many wetlands, rivers, and streams. Wooded zones surround almost every waterway. Precipitation is greater in the east, with about 28 inches annually, compared with 20 inches in the west.

The land is primarily used for agriculture, with around two-thirds converted to cropland and much of the remaining third used for grazing livestock. There is however, a diversity of wildlife found in this region, including the annual spring staging of 500,000 sandhill cranes around the Platte River in central Nebraska. This spectacle draws around 80,000 nature enthusiasts each year, with about half from outside of Nebraska.



Bird Viewing Tips

- 1. Stay quiet and calm.
- 2. Be discreet wear muted clothing and limit fragrances.
- **3. Use your ears!** Listen for bird songs and calls.
- 4. Use binoculars to get a closer look, always keep a respectful distance from wildlife.
- 5. Be patient.
- **6. Go to where the habitat is** visit state parks and other public lands.
- 7. **Do your homework** learn what species of birds live in the area.





Birds of the Nebraska Mixedgrass Prairie



Identification Guide



OutdoorNebraska.org



Lark Sparrow

Chondestes grammacus **Size:** L: 6.0 - 7.6 in., WS: 11 in. **Description:** Chestnut and cream head, streaked brown above, pale below, black "mustache" and spot on chest, long tail with white corners.

Diet: Seeds

Habitat: Grasslands

Viewing: Spring-fall, statewide



Grasshopper Sparrow

Ammodramus savannarum **Size:** L: 4.3 - 4.7 in., WS: 8.0 - 8.5 in. **Description:** Streaky sparrow with brown above, buff below, white eye ring, yellow lore, short tail.

Diet: Insects **Habitat**: Grasslands

Viewing: Spring-fall, statewide



Western Meadowlark

Sturnella nealecta **Size:** L: 6.3 - 10.2 in., WS: 22 - 24 in. **Description:** Robin sized with short tail, flat head, long bill, brown back, yellow front, and black V on chest.

Diet: Insects **Habitat:** Grasslands

Viewing: Year-round, statewide



Red-winged Blackbird

Agelaius phoeniceus **Size:** L: 6.7 - 9.0 in., WS: 12.2 - 15.8 in. **Description:** Males: black with red wing patch boarded in yellow. Females: streaky brown.

Diet: Insects

Habitat: Wetland and fields Viewing: Year-round, statewide though more limited in winter



Dickcissel

Spiza americana Size: L: 2.5 - 3.2 in., WS: 6.7 - 7.0 in. **Description:** Gray with rusty shoulders, yellow on chest, above eye, and at corner of bill. Males have black V on chest. **Diet:** Seeds and insects **Habitat:** Marches, fields Viewing: Summer, statewide but more common in east



Northern Bobwhite

Colinus virginianus Size: L: 9.75 in., WS: 13 in. **Description:** Stocky ground bird patterned in brown, rufous, buff, and black. Males: black and white patterned face. Females: buffy throat and eyebrow.

Diet: Seeds, plants, and insects Habitat: Open fields and woodlands **Viewing:** Year-round, statewide except southwestern Panhandle and northwest



Field Sparrow

Spizella pusilla Size: L: 4.7 - 5.9 in., WS: 7.9 in. **Description:** Pale gray head, white eye ring, rufous on top of head and behind eye, pink beak. Diet: Seeds and insects **Habitat:** Fields with bushy thickets Viewing: Spring-fall, statewide, though rare in Panhandle



Bobolink

Dolichonyx oryzivorus Size: L: 5.9 - 8.3 in., WS: 10.6 in. **Description:** Flat head, short tail. Males: black with white rump, buff-yellow nape. Females: buff with brown back, flank streaking. **Diet:** Seeds and insects **Habitat:** Grasslands

Viewing: Spring/fall, statewide; summer, east and central



Yellow Warbler

Setophage petechia Size: L: 4.7 - 5.0 in., WS: 6.3 - 7.9 in. **Description:** Small bright yellow bird with a large black eye. Males have red streaking on chest. Diet: Insects

Habitat: Open woodland Viewing: Spring-fall,

statewide

in display.

Diet: Seeds and insects

limited southeast

Habitat: Open grasslands



Great Blue Heron

Ardea herodias Size: L: 38 - 54 in., WS: 65.8 - 79 in. **Description:** Tall with long legs and neck, dagger-like bill, gray body, lighter face with black stripe

Diet: Fish, frogs, small birds

Habitat: Wetlands

Viewing: Spring/fall, statewide;

summer, northeast



Killdeer

Charadrius vociferus **Size:** L: 8 - 11 in., WS: 18 - 19 in. **Description:** Brown shorebird with white belly, chin, and face markings, two black chest bars and long legs.

Diet: Insects

Habitat: Rural to urban **Viewing:** Spring-fall, statewide



Upland Sandpiper



Bartramia longicauda **Size:** L: 11.0 - 12.6 in., WS: 18.5 in. **Description:** Slender speckled brown shorebird with long neck, small head and large black eye. Diet: Insects

Habitat: Grasslands

Viewing: Spring/fall, statewide



Sandhill Crane

Ring-necked Pheasant

Phasianus colchicus

Size: L: 20.0 - 27.6 in., WS: 20 - 24 in.

Description: Buffy cinnamon with

red face, green neck with white

ring at base, and long barred tail.

Habitat: Agricultural land and

Viewing: Year-round, statewide

Diet: Seeds, insects, fruit

fallow fields

Antigone canadensis Size: L: 47.2 in., WS: 78.7 in. **Description:** Tall with long legs and neck, dagger-like bill, gray body with rusty wash. Adults have pale cheek and bright red skin on top of head. Diet: Aquatic plants, small animals and seeds

Habitat: Wetlands

Viewing: Spring, central



Northern Pintail

Anas acuta Size: L: 20.0 - 29.9 in., WS: 34 in. **Description:** Duck with long neck and tail. Males: brown head, white chest and stripe on neck, and gray back. Females: mottled brown. **Diet:** Seeds and aquatic insects

Habitat: Wetlands

Viewing: Spring-fall, statewide