
Tallgrass Prairie Region



The Nebraska tallgrass prairie region comprises the eastern quarter of the state. The key to this landscape is the thick, rich soil that enables deep-rooting prairie plants to survive. Grasses and forbs dominate this grassland region, with few trees, except along water corridors.

This area receives 25 - 36 inches of rain annually. Much of the historic grasslands have been converted, leaving only about 2 percent of unmodified tallgrass prairie habitat. This area incorporates many wetlands, including the saline wetlands, north of Lincoln. This range has a diversity of birds, plants, mammals, reptiles and insects that call it home.



Reptile and Amphibian Viewing Tips

- 1. Stay quiet and calm.
- 2. Use binoculars to get a closer look while keeping a respectful distance from wildlife.
- 3. Wash your hands before handling especially important for amphibians such as frogs, toads and salamanders.
- 4. Be patient.
- **5. Go to where the habitat is** visit state parks and other public lands.
- **6. Do your homework** learn what species live in the area.
- 7. Leave no trace leave wildlife in nature and nature the way you found it.

Reptiles Have scales, plates or shields. Born by hatching from eggs or through live birth. Lay eggs in the ground. plains garter snake Breathe using lungs. **Amphibians** Generally have moist, smooth skin. Born as eggs and go through metamorphosis. Lay eggs near or in water. Breathe using lungs, gills tiger or through skin.



Reptiles and Amphibians of the Nebraska Tallgrass Prairie



Identification Guide



OutdoorNebraska.org



Woodhouse's Toad

Anaxyrus woodhousii

Size: L: 2 - 5 in.

Description: Bumpy toad with light gray-tan, variable spotting, white back stripe, and white under with single dark spot on chest.

Diet: Insects Habitat: Variable

Viewing: Spring-fall, statewide



Western Tiger Salamander

Ambystoma mavortium

Size: L: 6.0 - 8.5 in.

Description: Dark with smooth slimy skin with yellow barring, short legs and a wide mouth.

Diet: Insects and worms
Habitat: Water or small
mammal burrows

Viewing: Spring-fall, statewide



Plains Garter Snake


Thamnophis radix

Size: L: 20 - 28 in.

Description: Coloration varies; gray-green with black markings and yellow stripe down center of back. **Diet:** Small prey; amphibians, worms

Habitat: Prairie or edge habitat, often associated with water

Viewing: Spring-summer, statewide



Plains Spadefoot

Spea bombifrons

Size: L: 1.3 - 2.5 in.

Description: Smooth dark tan skin, 2 - 4 cream stripes from neck to rump, white bell. Long back legs, spade on each foot, only Nebraska amphibian with vertical slit pupils. **Diet:** Invertebrates, larvae, plants **Habitat:** Grassland, farmland,

sagebrush areas

Viewing: Spring-summer, statewide



Six-lined Racerunner

Aspidoscelis sexlineata

Size: L: 6.0 - 10.5 in.

Description: Brown to bright green with 6 - 8 lines running length of body, long tail, hind legs and toes.

Diet: Insects, snails

Habitat: Dry grassland and woodland

edges

Viewing: Late spring-early fall, statewide except west half of Panhandle



Fox Snake

Mintonius vulpinus

Size: L: 23.6 - 70.5 in.

Description: Yellowish-gray to brown, often with dark blotches down back. Checkerboard

patterned belly. **Diet:** Small mammals

Habitat: Grasslands, woodlands **Viewing:** Spring-fall, statewide



Cope's Tree Frog

Hyla chrysoscelis

Size: L: 1.0 - 2.4 in.

Description: Skin mottled gray, bright green and tan. Long hind legs with yellow-orange inner thighs. Sticky pads at end of toes.

Diet: Insects

Habitat: Woodlands near water **Viewing:** Spring-fall, eastern quarter,

central along Platte River



Northern Prairie Skink

Plestiodon septentrionalis

Size: L: 5.0 - 8.8 in.

Description: Brown-olive skin, dark striped from head to tail. Two white stripes on each side and small legs.

Diet: Insects

Habitat: Grassy, rocky hillsides

near water

Viewing: April-fall, eastern half



Snapping Turtle

Chelydra serpentina Size: L: 20 - 50 in. (shell)

Description: Gray-brown water turtle with webbed toes, large head, and darker ridged shell. **Diet:** Fish and aquatic plants **Habitat:** Permanent bodies of water

Viewing: Spring-fall, statewide



Bullfrog

Lithobates catesbeianus

Size: L: 3.5 - 8.0 in.

Description: Olive to lime green with some darker mottling, long hind legs, lighter belly.

Diet: Insects and worms **Habitat:** Invasive, permanent

ponds, lakes, etc. **Viewing:** Spring-fall, statewide



Bullsnake

Pituophis catenifer

Size: L: 30 - 100 in.

Description: Light yellow-tan with dark blotches. Acts like a rattlesnake when threatened by shaking tail in leaf litter to create rattle sound.

Diet: Primarily rodents

Habitat: Prairie, rocky outcrops **Viewing:** Spring-fall, statewide



Northern Painted Turtle

Chrysemys picta Size: L: 2.5 - 10.0 in. (shell)

Description: Smooth, dark top shell, red patterned below, dark skin with

yellow stripes. **Diet:** Small, aquatic plants

and animals

Habitat: Permanent bodies of water Viewing: Spring-summer, statewide